

4-20-00

A

04/19/00

JC544 U.S. PTO

PATENT APPLICATION TRANSMITTAL LETTER
(Large Entity)

Docket No.
856

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Transmitted herewith for filing under 35 U.S.C. 111 and 37 C.F.R. 1.53 is the patent application of:

Adam Petrovich, Jerome Swartz, James Paul, Ian Jenkins

For: **PORTABLE TENDERING AND CUSTOMER SERVICE STATIONS AND RELATED SYSTEMS AND METHODS**

Enclosed are:

- ☒ Certificate of Mailing with Express Mail Mailing Label No. **GB859605780US**
- ☒ 8 sheets of drawings.
- ☐ A certified copy of a application.
- ☒ Declaration ☐ Signed. ☐ Unsigned.
- ☒ Power of Attorney
- ☐ Information Disclosure Statement
- ☐ Preliminary Amendment
- ☐ Other:

JC135 U.S. PTO
09/552415
04/19/00

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	63	- 20 =	43	x \$18.00	\$774.00
Indep. Claims	8	- 3 =	5	x \$78.00	\$390.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$690.00
TOTAL FILING FEE					\$1,854.00

- ☐ A check in the amount of to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **19-5407** as described below. A duplicate copy of this sheet is enclosed.
 - ☒ Charge the amount of **\$1,854.00** as filing fee.
 - ☒ Credit any overpayment.
 - ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
 - ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

Dated: **4/18/2000**

Gary Serbin
Signature

Gary Serbin, Reg. No. 43,912

"EXPRESS MAIL" Mailing Label Number **GB859605780US**

Date of Deposit **April 19, 2000**
I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above, as is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Judith L. Ahrens
JUDITH L. AHRENS



23704

PATENT TRADEMARK OFFICE

**SYMBOL TECHNOLOGIES, INC.
ONE SYMBOL PLAZA
HOLTSVILLE, NEW YORK 11742-1300**

TO ALL WHOM IT MAY CONCERN:

Be it known that WE, ADAM PETROVICH, a citizen of the United States of America, residing at 415 Kittanning Pike, Pittsburgh, Pennsylvania 15215; JEROME SWARTZ, a citizen of the United States of America, residing at 199 Old Field Road, Old Field, New York 11733; JAMES PAUL, a citizen of the United States of America, residing at 92 Canaan Place, Allendale, New Jersey 07401; and IAN Jenkins, citizen of the United States of America, residing at 14 Blinker Light Road, Stony Brook, New York 11790 have invented a :

**PORTABLE TENDERING AND CUSTOMER SERVICE STATIONS
AND RELATED SYSTEMS AND METHODS**

of which the following is a

SPECIFICATION

FIELD OF USE

5 This invention relates generally to computer-assisted shopping and portable tendering stations. More specifically, the present invention is related to portable computer-assisted tendering and customer service stations, and related systems and methods, for use at retail or warehouse facilities.

10 **BACKGROUND OF THE INVENTION**

Conventional computer-assisted shopping systems, such as the system described

Docket 856

in United States Patent No. 5,468,942 to Oosterveen et al, typically include a computer terminal having an integrated bar-code scanner to record merchandise purchases. If authorized, a user uses the terminal to scan-in bar code information, which in turn is stored in the terminal's internal memory so as to maintain a record of the merchandise selected by the user. In one embodiment, the merchandise record is relayed by wireless local area network and maintained in a centralized computer system. Prior to exiting the store, the information stored in the terminal's internal memory is downloaded through a communication port attached to a terminal dispenser, and a ticket of the customer's purchases is printed on a printer. The customer then proceeds to a check-out register where the customer tenders payment for the purchased merchandise.

Related co-assigned U.S. Patent Application Serial No. 08/866,690 filed May 30, 1997 discloses a similar portable shopping and order fulfillment system having enhanced ordering and product data profiles, order collection and order fulfillment capabilities. The disclosure of U.S. Patent Application No. 08/866,690 is hereby expressly incorporated herein by reference, as are the disclosures of its parent U.S. Patent Application No. 08/780,023 filed December 20, 1996 and its grandparent U.S. Patent Application No. 08/706,579 filed September 5, 1996.

While conventional computer-assisted shopping systems can enhance and expedite a consumer's shopping experience, there still remains a need for providing tendering or customer service stations when the customer is ready to actually make payment for and/or take possession the purchased products. Further, in retail establishments offering computer-assisted

Docket 856

shopping services, a need remains for providing traditional customer checkout and tendering capabilities for customers who are unwilling or unable to obtain identification or other required customer cards.

U.S. Application Serial No. 09/299,228, which is assigned to Symbol

5 Technologies, Inc., the assignee of the present invention, thus describes multi-lane tendering stations constructed and arranged so as to reduce customer waiting times and to improve the overall efficiency of the shopping experience. Such tendering stations allow the servicing of one or more customer queues, and are used to tender payment from customers wishing to complete a purchase transaction. A typical multi-lane tendering station may include, for example, a bar-
10 code scanner for scanning and identifying the items to be purchased, a processor coupled to the bar-code scanner for itemizing and totaling the identity and price of the items, and a printer for printing the itemized list. Such a station can optionally include a scale for weighing items, a bar-code label panel for identifying items being weighed, a packing station for packaging the items by the customer and a card reader for receiving payment directly at the self-service scanning
15 station. The disclosed multi-lane systems therefore allow shopping establishments to service a greater number of customers while reducing the time and costs associated with customer check-out.

The above-described multi-lane check-out systems, however, are usually limited in number and are permanently fixed to a particular section of the retail facility. Thus, long lines
20 and delays may still result especially during heavy shopping periods, i.e., the day after

Docket 856

Thanksgiving ("Black Friday"), the day after Christmas, advertized sales event, etc. Therefore, a need exists for customer service or tendering stations that can be easily deployed to a variety different locations within a store so as to accommodate consumers during peak activity periods.

OBJECTS OF THE INVENTION

The aforescribed limitations and inadequacies of conventional customer service and tendering stations are substantially overcome by the present invention, in which a primary object is to provide a portable tendering station that can be easily deployed to a variety of different locations within a store, warehouse, manufacturing facility or other establishment so as to accommodate users during peak activity periods.

Another object is to provide an improved tendering system and method that reduces the waiting time of the customer especially during busy shopping periods.

Still another object of the present invention to provide an improved tendering system that allows customers to purchase merchandise from any number of locations within a shopping establishment.

Yet another object of the invention to provide an efficient tendering station for receiving payment from customers who use computer-assisted shopping.

SUMMARY OF THE INVENTION

An improved tendering station is disclosed having: a movable housing; a removable terminal attached to the housing for acquiring transaction information, the terminal having a display and a device for communicating the information over a wireless communication network, and at least one activation key for activating one or more user functions; and at least one peripheral device attached to the housing and coupled to the terminal for conveying the

transaction information and related information to or from a user. The tendering station of the present invention is portable and can be easily deployed, for example, to a variety different locations within a store during busy shopping periods.

In another preferred embodiment of the present invention, a portable customer service station is provided for facilitating a customer transaction in a retail facility. The customer service station includes: a movable housing and a removable handheld terminal attached the housing for acquiring transaction information, the terminal having a display, a wireless radio for communicating the information over a wireless communication network, at least one activation key for activating one or more user functions, and a scanner for reading bar code information. The customer service station further includes a customer display attached to the housing and coupled to the terminal for displaying the transaction information and related information to a customer; a printer device for printing receipts or transaction reports and a magnetic stripe reader to read credit cards.

In yet another preferred embodiment of the present invention, a portable tendering station is provided for facilitating customer transactions at a retail facility. The portable tendering station includes: a movable housing; a cradle interface attached to the housing; a removable handheld terminal connected to the cradle interface for acquiring transaction information, the terminal having a display, a wireless radio for communicating the information over a wireless communication network, at least one activation key for activating one or more user functions, and a scanner for reading bar code information; and at least one peripheral device attached to the

station and in communication with the terminal via the cradle interface for conveying the transaction information and related information to or from a customer, the at least one peripheral device being used to complete the transaction.

In still another preferred embodiment of the present invention, a customer service station is provided that can be used as a fixed or portable "wrap stand". The customer service station includes: a housing; a communication interface attached to the housing for receiving and transmitting transaction and related information over a wireless communication network; and at least one peripheral device attached to the customer service station and coupled to the communication interface for conveying the transaction and related information to or from a customer, the at least one peripheral device being used to complete the customer transaction.

The present invention also includes preferred embodiments of a system for providing tendering and customer services. In a first "thick client" embodiment of the system, the system includes a host computer for processing transaction data; a controller coupled to the host computer for communicating the transaction information to and from the host computer; a wireless communications network coupled to the controller for communicating the transaction information to and from the controller; and a portable station in communication with the network for providing the transaction information to the network. The portable station includes: a movable housing; a removable terminal attached to the housing for acquiring the transaction information, the terminal having a display and a device for communicating the information over the network, and at least one activation key for activating one or more user functions; and at least

Docket 856

one peripheral device attached to the housing and coupled to the terminal for conveying the transaction information and related information to or from a user.

In a second “thin client” embodiment of the customer service and tendering system, the system further includes a server coupled to the controller for processing the transaction information and communicating the transaction information to and from the controller. The removable terminal of the second embodiment further includes an Internet browser as an interface between the server and a user.

A portable “escorted shopper” terminal is also provided for use with the above-described tendering and customer service stations. Such a terminal includes: a housing; a display disposed on the top surface of the housing; at least one activation key for activating one or more user functions; a magnetic strip reader adapter attached to the housing for reading magnetically coded information from a customer card, the magnetically coded information representing at least in part the transaction information; and a device for communicating the transaction information over a wireless communication network

In another aspect of the present invention, a method is provided for controlling the number of customer service stations in a retail facility so as to manage fluctuations in customer traffic. The method includes the steps of providing a portable customer or checkout station having a portable terminal and at least one peripheral device as described above; positioning the portable checkout station at an appropriate location within the facility so as to minimize customer traffic within the facility; running a register application on the terminal wherein the

Docket 856

terminal functions to collect the transaction information pertaining to the customer's purchase and transmitting such transaction information to a host computer; using the portable terminal to collect information pertaining to items selected by the customer to be purchased; generating a transaction report; tendering payment; and placing items in a receptacle for delivery to the customer. Optionally, one of the peripheral devices, such as a magnetic strip reader, is used to collect information pertaining to items selected by the customer to be purchased.

In addition, a method for providing a manager's service station is disclosed having the steps of issuing the station to a manager, assigning the station to the manager, and allocating all activities run on the station to the manager. Preferably, the service station includes a display, wireless radio, a removable terminal, bar code scanner and telephone services.

Further objects, features and advantages of the invention will become apparent from the following detailed description taken in conjunction with the accompanying figures showing illustrative embodiments of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

For a complete understanding of the present invention and the advantages thereof, reference is now made to the following description taken in conjunction with the accompanying drawings in which like reference numbers indicate like features and wherein:

FIG. 1 is an illustration of a customer service station in accordance with a preferred embodiment of the present invention;

FIG. 2 is a side view illustration of the customer service station of FIG. 1;

FIG. 3 is an illustration of a customer service station in accordance with another preferred embodiment of the present invention;

FIG. 4 is a block diagram showing the components of a customer service station in accordance with another preferred embodiment of the present invention;

FIG. 5 is a block diagram showing the components of a customer service station in accordance with another preferred embodiment of the present invention;

FIG. 6 is a block diagram of a portable point-of-sale (POS) system in accordance with preferred embodiment of the present invention;

FIG. 7 is an illustration of a portable escorted shopper terminal in accordance with a preferred embodiment of the present invention;

FIG. 8 is an illustration of a portable escorted shopper terminal in accordance with another preferred embodiment of the present invention;

FIG. 9 is a flow diagram of a method for controlling the number of customer service stations in a retail facility so as to manage fluctuations in customer traffic; and

FIG. 10 is a flow diagram of a method for providing a manager's service station.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

FIG. 1 shows an illustration of a tendering station 100 arranged as a customer service station for facilitating customer transactions at a retail facility. The tendering station 100

includes a movable housing 10, a removable terminal 38 attached to the housing 10 for entering transaction information about products to be purchased, and a peripheral device, such as customer display device 42 coupled to the terminal 38 for displaying the transaction information and other related information. The transaction information may include, for example, the cost for individual items, a total cost, item identification information, customer credit card information, etc. Related information may include, for example, the time, date and location of the transaction, special instructions or messages, advertisements or information pertaining to related items, etc. In a preferred embodiment, the removable terminal 38 includes a display and a communication device, such as the Spectrum 24™ wireless radio sold by Symbol Technologies, Inc., for communicating voice and data information to a communication network. The communication network can be, for example, a wireless communication network such as the Spectrum 24™ system sold by Symbol Technologies, Inc. Preferably, the customer service station is self-powered and can be deployed anywhere in a retail or storage facility, for example, while maintaining a communication link to a host computer.

Although described in the context of a retail or shopping establishment, it is known and understood that the tendering station of the present invention can be arranged and adapted for use in any facility, such as warehouse, factory, hospital, etc., where there is a need for tracking and/or tendering purchase products, inventory items or services. It is also understood that the removable terminal 38 and peripheral devices of tendering station 100 can be arranged in a variety of configurations that would fall within the scope of the present invention.

As shown in FIGS. 1 and 3, the movable housing 10 is preferably a rectangularly-shaped cabinet made from metal, plastic or other suitable materials mounted on wheels 16 and 18 or other suitable movable members. The housing 10 has a front or "customer" side A, a back or "cashier" side B, as shown in FIG. 2, and a top surface for mounting the removable terminal 38 and peripheral devices 40 and 42 and for placing products to be purchased. Storage compartments, bins, drawers and the like 22, 24, 25, 26, 28, 30, 32 and 34 are provided on the cashier side of the housing, along with a merchandise or item handling area 14 on the top side of the housing 10 extending from the customer side A to the cashier side B. The storage areas 22, 24, 25, 26, 28, 30, 32 and 34 can be used, for example, for storing cash, coupons, credit card receipts, charge slips, EAS tags, boxes, hangers, trash, etc. The housing can also include a tag remover 34 for removing EAS or other tags or labels from items being purchased. Optionally, as shown in FIG. 1, a handle bar 12 or suitable member or members are provided on the cashier side for maneuvering the customer service station as required.

As with the removable terminal and peripheral devices, the features of the housing can be arranged in a variety of configurations all falling within the scope of the present invention. FIG. 3, for example, shows a variation of the tendering station 300 having a hanger storage bin 302, an EAS tag storage area 304, storage compartment areas 306 and 308, and a trash compartment 310.

Mounted on the top side of the housing 10 adjacent to the merchandise handling area 14 is the removable terminal 38. Preferably, the removable terminal 38 is a handheld

Docket 856

portable computing device such as described in United States Patent Application Serial Nos.

09/232,142 and 09/087,086 assigned to Symbol Technologies, Inc., and which are hereby

incorporated by reference. The handheld terminal includes a display, such as a touch screen.

The handheld terminal further includes a transceiver for providing a wireless communication link

5 to a local area network (LAN). Further, as described in Application Serial Nos. 09/232,142 and

09/087,086, a preferred embodiment of the handheld terminal includes computer memory and

corresponding software for assisting customers by identifying customer preferences and

inventory availability, software for managing the power requirements of the terminal and

tendering station, and software for sending and receiving messages to and from a host computer.

10 The terminal further includes software for controlling terminal peripherals, such as a bar-code

scanner, magnetic stripe reader and telephony circuits. In some embodiments, discussed below,

software is provided on the terminal for controlling the POS user interface. Optionally, the

handheld terminal can further include one or more locking or alarm mechanisms, such as a “hard

key” pushbutton or a “soft” key on a touch sensitive display, for preventing theft or unauthorized

15 use of the handheld terminal and/or tendering station.

Also mounted on the top side of the housing are peripherals, such as a receipt

printer 40 and a customer display 42, used for conveying information about the purchase

transaction to be made by the customer. The peripherals 40 and 42 are shown by way of example

and not limitation, and can also include, for example, a magnetic stripe reader for reading

20 customer cards and transmitting transaction information to the terminal for processing by the

Docket 856

terminal, a keyboard for entering data onto the terminal, a scanner for reading bar codes and transmitting bar code information to the terminal, and a telephone headset having a suitable transceiver receiving and transmitting audio data to the terminal for retransmission from the terminal to the communication network. The telephone headset can be, for example, the packet-based NetVision™ I/P telephone available from Symbol Technologies. The telephone arrangement for the terminal is further described in the above referenced earlier applications 08/780,023, and may be embedded in The Spectrum 24 radio transceiver, with a peripheral headset. The customer display 42 is preferably a liquid crystal display (LCD) or light-emitting display (LED) having an adjustable support 44 mounted to the top side of the housing. The support 44 can be adjusted to accommodate the customer and folded or retracted during the transport or repositioning of the tendering station 100.

The tendering stations of FIGS. 1 and 3 further include a power cord and plug 20 for connecting to an external power source and/or one or more rechargeable batteries for powering the electronic components of the tendering station, e.g., the removable terminal 38 and peripheral devices 40 and 42.

In accordance with a preferred embodiments of FIGS. 1 and 3, the tendering station of the present invention is capable of performing functions performed by conventional tendering stations, for example, open register, close register, log in, log out, sales (cash and non-cash) totals, manager voids, credit card transactions, security validations, limit changes on sales, date/time synchronization, printing, tax tables, algorithm keys, check digit algorithm, override,

Docket 856

deferred billing, mark down, discounts, price inquiry, reprint, security notification, training mode, and diagnostics.

FIG. 4 is a block diagram showing another preferred embodiment of the customer service station 400 of the present invention. The customer service station 400, which can be configured in a suitable housing as shown in FIGS. 1 and 3, includes a removable terminal 402, a cradle or terminal interface 404 for receiving and mating with the terminal 402, and at least one peripheral device 406, 408, 410, 412, 414 and 416 mounted onto the station housing and in communication with the terminal 402. The peripheral devices 406, 408, 410, 412, 414 and 416 are used for completing a customer transaction and can include, by way of example and not limitation: a magnetic stripe reader 406 for reading customer cards, i.e., preferred customer cards, discount cards, credit cards, etc., and transmitting customer card information to the terminal 402 for processing by the terminal 402; a keyboard 412 for entering data into the terminal 402; a bar code scanner 414 for reading bar codes and transmitting corresponding bar code information to the terminal 402; a printer 420 for receiving data from the terminal and printing customer receipts, transaction reports and/or other information pertaining to the customer transaction; a display device 410 for displaying transaction and related information to a customer; and a telephone headset 416 including a transceiver for receiving and transmitting audio information to the terminal 402 for retransmission over the wireless communication network 430. The removable terminal 402 and peripheral devices 406, 408, 410, 412, 414 and 416 are linked together via hardwire, short range RF, or infrared links 418, 420, 422, 424, 426

Docket 856

and 428 provided via the cradle/interface 404.

Preferably, the removable terminal 402 includes a display, a wireless radio for communicating voice and data information over a wireless communication network 430, and at least one user activation key having a locking mechanism or alarm mechanism to prevent theft.

5 The activation key can be a "hard" key or a "soft" key displayed on a touch sensitive display.

Further, the removable terminal 402 can include its own bar code scanning device.

FIG. 5 is a block diagram showing the components of a customer service station 500 in accordance with an alternative embodiment of the present invention. The customer service station 500 can be used as a portable or fixed "wrap stand" in a shopping establishment. The customer service station 500 includes: either a fixed or portable housing as shown in FIGS. 1 and 3; a communication interface 502 for wireless communications, such as the Spectrum 24™ multi-port serial interface available from Symbol Technologies; and one or more peripheral devices including but not limited to a magnetic stripe reader 504, a receipt printer 506, a journal printer 508 for printing a transaction report, and a customer display 510. The peripherals are
15 coupled to the communication interface via corresponding RS-232 interfaces 512, 514, 516 and 518. The wireless communication interface 502 allows for remote addressing of the peripheral devices and direct communication with the peripheral device via RF communication links.

FIG. 6 is a block diagram of a portable point-of-sale (POS) system 600 according to a preferred embodiment of the present invention. The portable POS system 600 includes a
20 PPOs host computer 602 coupled to one or more POS controllers 606 (only one shown) via a

Docket 856

POS multiplexer 604. Transactions are entered, e.g., by scanning bar codes, on PPOS terminal 612 and sent by RF signal to access point 610. Thereafter access point 610 sends the transaction data to PPOS Host system 602, which provides protocol conversions to emulate a wired POS terminal. The transaction data is thereafter sent by serial communications link 613 to multiplexer 604 and the to POS controller 606 via communications link 614. Alternatively, the transaction data may be provided to POS controller 606 via LAN 608. Responses are sent in reverse order to the PPOS Host 602, reformatted and sent to the PPOS terminal 612. When the transaction is complete, a receipt is printed on portable printer 616 which is connected to terminal 612 by short range RF, infrared or wired link 615.

In one arrangement of the system 600, terminal 612 is provided with a POS user interface program to provide displays and prompts to the user to gather a complete package of data as required to process a transaction, including display of items scanned, calculation of purchase total, sales tax, and reading of credit card data. In this instance terminal 612 may formulate a complete POS message to be communicated to POS controller 606 over LAN 608 from access point 610, and emulation of POS terminal characteristics in POS Host 602 is not required.

In an alternate arrangement the program provided on terminal 612 is a "browser" program which provides processing for the display and input commands. The browser communicates with PPOS Server 602 which provides all logic functions for processing the transaction and downloads the display content to terminal 612. Alternatively, the logic functions

can be performed on a special application on POS Controller 606.

By providing a browser program in terminal 612, further enhanced features can be provided. Terminal 612 can be used to provide inventory information in response to a customer inquiry to the user of terminal 612. In connection with such use, the bar-code reader can be used to identify a displayed product, such as furnishings, appliances and the like. The identifying data can be communicated to the PPOS Server 602 and used by Server 602 to retrieve inventory data, such as available colors, options, delivery schedules, etc. Additionally, the browser program in terminal 612 can be used to retrieve further customer information about a product, either from files stored on the host computer or by initiating a link to the website of the product supplier on the internet. Further, the terminal 612 can provide a link to a Customer Relationship Management System to provide specialized displays, specialized customer pricing and marketing data. Further, by providing wireless telephone service, a customer can resolve credit questions with a customer service representative or can preview the content of a sound recording.

FIG. 7 illustrates a portable escorted shopper terminal 800 that provides added flexibility and versatility to the customer service stations of FIGS. 1-3. The portable escorted shopper terminal 800 of FIG. 8 includes a portable handheld terminal as described, for example, in United States Patent Application Serial Nos. 09/232142 and 09/087,086, and a magnetic strip reader adapter 802 for reading a customer card 804. The magnetic strip reader adapter 802 includes a card insertion slot 806 and is constructed and arranged so as to fit over the bottom part of the housing 801 of the portable terminal. FIG. 8 illustrates an alternative embodiment of the

portable escorted shopper terminal having a terminal adapter 902 with card insertion slot 906.

The various embodiments of the customer service station described above can be operated in a shopping establishment as described below with reference to FIG. 9. First, a portable customer station as described above is provided and positioned at a desired location within the retail establishment, steps 1002 and 1004. A cashier then activates the customer service station, opens the cash register and logs in via the removable terminal. In step, 1006 Items to be purchased are then processed, e.g., items are scanned using a built-in scanner of the removable terminal or a separate bar code scanner mounted on the housing of the customer service station, and further processed (if so desired) by performing a price inquiry, canceling the item or marking down the price of the item. After the purchase items are processed, the customer's card is then processed using the magnetic stripe reader. The customer accepts/authorizes the charge, and the removable terminal is used to capture the customer's signature. A receipt printer is then used to print charge and/or customer receipts or reports.

The terminals of the present invention can also be used in connection with providing communications and data access services to management personnel. Referring to Figure 10, at step 1102 a terminal can be issued to a manager on the start of his shift, or when he leaves a fixed office location, etc. After the terminal is issued, the manager logs onto the system using the terminal at step 1104, and possibly using his or her employee identification badge, which may include a bar-code or magnetic stripe. Entry of an access code may also be required. After logon by the manager, the system assigns the terminal to the manager and will allocate

Docket 856

functions to the terminal at step 1106 according to the privileges granted to the manager. For example, using a browser program, the system can provide a menu of applications for manager use that is not available to a cashier, such as telephone service, message paging, e-mail, and access to business or financial programs and data. Different functions may be made available to
5 different managers according to their level and responsibilities.

Although the present invention has been described in connection with particular embodiments thereof, it is to be understood that various modifications, alterations and adaptations may be made by those skilled in the art without departing from the spirit and scope of the invention. It is intended that the invention be limited only by the appended claims.

WHAT IS CLAIMED IS:

- 1 1. A tendering station comprising
2 a movable housing;
3 a removable terminal attached to said housing for acquiring transaction
4 information, said terminal having a display and a device for communicating the information over
5 a wireless communication network, and at least one activation key for activating one or more
6 user functions; and
7 at least one peripheral device attached to said housing and coupled to said
8 terminal for conveying the transaction information and related information to or from a user.

1 2. The tendering station according to claim 1, wherein one or more members
2 are attached to the bottom thereof for facilitating the movement and positioning of said station.

1 3. The tendering station according to claim 1, wherein said housing
2 comprises a top surface for mounting the removable terminal and said at least one peripheral
3 device.

1 4. The tendering station according to claim 3, wherein said top surface
2 further includes an item handling area.

Docket 856

1 5. The tendering station according to claim 1, wherein said housing
2 comprises at least one storage area for storing supplies, cash, coupons, receipts and the like.

1 6. The tendering station according to Claim 1, wherein said housing
2 comprises at least one tag remover for removing tags or labels from an item.

1 7. The tendering station according to Claim 1, wherein said housing is
2 mounted on wheels and includes at least one handle member for maneuvering said tendering
3 station.

1 8. The tendering station according to Claim 1, wherein said at least one
2 peripheral device comprises a display device for displaying transaction and related information.

1 9. The tendering station according to Claim 8, wherein said display device
2 comprises an adjustable support attached to said housing.

1 10. The tendering station according to Claim 1, wherein said at least one
2 peripheral device comprises a printer for printing a receipt or transaction report.

1 11. The tendering station according to Claim 1, wherein said at least one

Docket 856

2 peripheral device comprises a magnetic strip reader for reading customer cards and transmitting
3 card information to said terminal.

1 12. The tendering station according to Claim 1, wherein said at least one
2 peripheral device comprises a keyboard coupled to said terminal for entering data into said
3 terminal.

1 13. The tendering station according to Claim 1, wherein said at least one
2 peripheral device comprises a scanner for reading bar codes and transmitting bar code
3 information to said terminal.

1 14. The tendering station according to Claim 13, wherein said scanner is
2 constructed and arranged with said terminal.

1 15. The tendering station according to Claim 1, wherein said at least one
2 peripheral device comprises a telephone headset having a transceiver for receiving and
3 transmitting audio information to and from said terminal for retransmission from said terminal to
4 over said wireless communications network.

1 16. The tendering station according to Claim 1, further comprising a power

source for powering said at least one peripheral device.

17. The tendering station according to Claim 1, further comprising one or more infrared communication links between said terminal and said at least one peripheral device.

18. The tendering station according to Claim 1, wherein said terminal comprises a magnetic strip reader attached thereto for reading a customer card and transmitting card information to said terminal.

19. The tendering station according to Claim 1, wherein said terminal comprises an Internet browser.

20. A portable customer service station for facilitating a customer transaction in a shopping facility, said customer service station comprising:

a movable housing;

a removable handheld terminal attached said housing for acquiring transaction information, said terminal having a display, a wireless radio for communicating the information over a wireless communication network, at least one activation key for activating one or more user functions, and a scanner for reading bar code information;

a customer display attached to said housing and coupled to said terminal for

Docket 856

9 displaying the transaction information and related information to a customer; and
10 a printer device for printing receipts or transaction reports.

1 21. The customer service station according to Claim 20, further comprising a
2 magnetic strip reader attached to said housing and coupled to said terminal for reading customer
3 cards and transmitting card information to said terminal.

1 22. The customer service station according to Claim 20, further comprising a
2 telephone headset having a transceiver for receiving and transmitting audio information to and
3 from said terminal for retransmission from said terminal over said wireless communications
4 network.

1 23. The customer service station according to Claim 20, further comprising a
2 power source for powering said at least one peripheral device.

1 24. The customer service station according to Claim 20, further comprising
2 one or more infrared communication links between said terminal and said at least one peripheral
3 device.

1 25. The customer service station according to Claim 20, wherein said movable

Docket 856

housing comprises:

an item handling area disposed on the top surface of said housing;

at least one storage area for storing supplies, cash, coupons, receipts and the like;

at least one tag remover for removing tags or labels from an item;

wheels member attached to the bottom thereof for facilitating the movement and

positioning of said customer service station within the shopping facility; and

at least one handle member for maneuvering said tendering station within the shopping facility.

26. The customer service station according to Claim 20, wherein said terminal comprises computer memory, said computer memory being programmed with a computer program for assisting a customer by identifying customer preferences and inventory availability.

27. The customer service station according to Claim 20, wherein said terminal comprises computer memory, said computer memory being programmed with a computer program for providing power management of said customer service station.

Docket 856

1 28. The customer service station according to Claim 20, wherein said terminal
2 comprises computer memory, said computer memory being programmed with a computer
3 program for sending and receiving messages to and from a host computer via the wireless
4 network.

1 29. The customer service station according to Claim 20, wherein said terminal
2 comprises a magnetic strip reader adapter attached thereto for reading a customer card and
3 transmitting card information to said terminal.

1 30. The customer service station according to Claim 20, wherein said terminal
2 comprises an Internet browser.

1 31. A portable tendering station for facilitating a customer transaction in
2 shopping facility, said tendering station comprising:
3 a movable housing;
4 a cradle interface attached to said housing;
5 a removable handheld terminal connected to said cradle interface for acquiring
6 transaction information, said terminal having a display, a wireless radio for communicating the
7 information over a wireless communication network, at least one activation key for activating
8 one or more user functions, and a scanner for reading bar code information; and

1 at least one peripheral device attached to said station and in communication with
2 said terminal via said cradle interface for conveying the transaction information and related
3 information to or from a customer, said at least one peripheral device being used to complete said
4 transaction.

1 32. The tendering station according to Claim 31, wherein said at least one
2 peripheral comprises a display device for displaying the transaction and related information.

1 33. The tendering station according to Claim 31, wherein said at least one
2 peripheral comprises a printer for printing a receipt or transaction report.

1 34. The tendering station according to Claim 31, wherein said at least one
2 peripheral comprises a magnetic strip reader for reading customer cards and transmitting card
3 information to said terminal.

1 35. The tendering station according to Claim 31, wherein said at least one
2 peripheral comprises a display device for displaying the transaction and related information.

1 36. The tendering station according to Claim 31, wherein said at least one
2 peripheral comprises a keyboard coupled to said terminal for entering data into said terminal.

1 37. The tendering station according to Claim 31, wherein said at least one
2 peripheral comprises a telephone headset having a transceiver for receiving and transmitting
3 audio information to and from said terminal for retransmission from said terminal over said
4 wireless network.

1 38. The tendering station according to Claim 31, wherein said housing
2 comprises at least one drawer for securely storing monies and credit receipts for items tendered at
3 said tendering station.

1 39. The tendering station according to Claim 31, wherein said housing
2 comprises at least one storage area.

1 40. The tendering station according to Claim 31, wherein said housing
2 comprises at least one tag remover for removing tags or labels from items tendered at said
3 tendering station.

1 41. The tendering station according to Claim 31, wherein said housing
2 comprises one or more members attached to the bottom thereof for facilitating the movement and
3 positioning of said tendering station within the shopping facility.

1 42. The tendering station according to Claim 31, wherein said housing is
2 mounted on wheels and includes at least one handle member for maneuvering said tendering
3 station within the shopping facility.

1 43. The tendering station according to Claim 31, further comprising a power
2 source for powering said at least one peripheral device.

1 44. The tendering station according to Claim 31, further comprising one or
2 more infrared communication links between said terminal and said at least one peripheral device.

1 45. The tendering station according to Claim 31, wherein said terminal
2 comprises computer memory, said computer memory being programmed with a computer
3 program for assisting a customer by identifying customer preferences and inventory availability.

1 46. The tendering station according to Claim 31, wherein said terminal
2 comprises computer memory, said computer memory being programmed with a computer
3 program for providing power management of said customer service station.

1 47. The tendering station according to Claim 31, wherein said terminal

1 comprises computer memory, said computer memory being programmed with a computer
2 program for sending and receiving messages to and from a host computer via the wireless
3 network.

1 48. The tendering station according to Claim 31, wherein said terminal
2 comprises a magnetic strip reader adapter attached thereto for reading a customer card and
3 transmitting card information to said terminal.

1 49. The tendering station according to Claim 31, wherein said terminal
2 comprises an Internet browser.

1 50. A customer service station for facilitating a customer transaction in a
2 shopping facility, said customer service station comprising:

3 a housing;

4 an interface attached to said housing for receiving and transmitting transaction
5 and related information over a wireless communication network; and

6 at least one peripheral device attached to said customer service station and
7 coupled to said interface for conveying the transaction and related information to or from a
8 customer, said at least one peripheral device being used to complete said customer transaction.

Docket 856

1 51. The customer service station according to Claim 50, wherein said at least
2 one peripheral comprises a receipt printer for printing the transaction and related information.

1 52. The customer service station according to Claim 50, wherein said at least
2 one peripheral comprises a journal printer for printing a transaction report.

1 53. The customer service station according to Claim 50, wherein said at least
2 one peripheral comprises a magnetic strip reader for reading customer cards and transmitting
3 card information to said terminal.

1 54. The customer service station according to Claim 50, wherein said at least
2 one peripheral comprises a display device for displaying the transaction and related information.

1 55. The customer service station according to Claim 50, wherein said housing
2 comprises an item handling area disposed on the top surface of said housing.

1 56. The customer service station according to Claim 50, wherein said housing
2 is movable and comprises:

3 an item handling area disposed on the top surface of said housing; and

4 wheels attached to the bottom thereof for facilitating the movement and

1 positioning of said customer service station within the shopping facility.

1 57. A system for providing tendering and customer services, comprising:
2 a host computer for processing transaction data;
3 a controller coupled to said host computer for communicating the transaction
4 information to and from said host computer;
5 a wireless communication network coupled to said controller for communicating
6 the transaction information to and from said controller; and
7 a portable station in communication with said network for providing the
8 transaction information to said network, said station comprising:
9 a movable housing;
10 a removable terminal attached to said housing for acquiring the transaction
11 information, said terminal having a display and a device for communicating the information over
12 said wireless network, and at least one activation key for activating one or more user functions;
13 and
14 at least one peripheral device attached to said housing and coupled to said
15 terminal for conveying the transaction information and related information to or from a user.

1 58. A handheld terminal for acquiring transaction information, comprising:
2 a housing;

3 a display disposed on the top surface of said housing;
4 at least one activation key for activating one or more user functions;
5 a magnetic strip reader attached to said housing for reading magnetically coded
6 information from a customer card, the magnetically coded information representing at least in
7 part the transaction information; and
8 . a device for communicating the transaction information over a wireless
9 communication network.

1 59. The terminal according to Claim 60, further comprising a scanner for
2 scanning bar code information representing at least in part the transaction information.

3 60. The terminal according to Claim 60, further comprising an Internet
4 browser.

1 61. A method for controlling the number of customer service stations in a
2 shopping facility so as to manage fluctuations in customer traffic, said method comprising:
3 providing a portable checkout station at a retail facility, the station having a
4 movable housing, a removable terminal attached to the housing for acquiring customer
5 transaction information, the terminal having a display and a device for communicating the
6 information over a wireless communication network and at least one activation key for activating

Docket 856

7 one or more user functions, and at least one peripheral device attached to said housing and
8 coupled to said terminal for conveying the transaction information and related information to or
9 from a customer;

10 positioning the portable checkout station at an appropriate location within the
11 facility so as to minimize customer traffic within the facility;

12 running a register application on the terminal wherein the terminal functions to
13 collect the transaction information pertaining to a customer's purchase and transmitting such
14 transaction information to a host computer;

15 using the portable terminal to collect information pertaining to items selected by a
16 customer to be purchased;

17 generating a transaction report;

18 receiving payment;

19 placing items in a receptacle for delivery to the customer.

1 62. The method according to Claim 61, further comprising using the at least
2 one peripheral device to collect information pertaining to items selected by the customer to be
3 purchased.

Docket 856

1 63. In a system wherein a host processor communicates with a plurality of
2 mobile terminals using radio data communication, a method for controlling functions available to
3 terminal users, comprising:
4 issuing a terminal to a user;
5 receiving identification data specific to said user on said terminal and
6 communicating said identification data to said host processor;
7 operating said host processor to determine functions to be made available to said
8 user, using said identification data;
9 communicating a message to said terminal identifying available functions; and
10 operating said host processor to provide user selected ones of said available
11 functions to said user.

ABSTRACT OF THE DISCLOSURE

A portable tendering station includes a movable housing, a removable terminal attached to the housing for acquiring transaction information, and at least one peripheral device attached to the housing and coupled to the terminal for conveying the transaction information and related information to or from a user. Preferably, the terminal includes a display and a device for communicating the information over a wireless communication network, and at least one activation key for activating one or more user functions. The portable tendering station can be easily deployed to various locations within a shopping facility, warehouse, manufacturing facility or the like, and is especially useful for accommodating customers and minimizing delays during peak activity periods.




FIG. 3

400




FIG. 4

500




FIG. 5

600





FIG. 6

800



7
FIG 8




FIG. 8




FIG. 9




FIG. 10

Docket No.

856

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled
PORTABLE TENDERING AND CUSTOMER SERVICE STATIONS AND RELATED SYSTEMS AND METHODS

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on _____ as United States Application No. or PCT International Application Number _____ and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

_____	_____
(Application Serial No.)	(Filing Date)
_____	_____
(Application Serial No.)	(Filing Date)
_____	_____
(Application Serial No.)	(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status)
		(patented, pending, abandoned)
_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status)
		(patented, pending, abandoned)
_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status)
		(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(list name and registration number)*

Gary Serbin, Reg. No. 43,912

Mauro Premutico, Reg. No. 33,994

Daniel R. McGlynn, Reg. No. 26,570

EXPRESS MAIL" Mailing Label Number GB 859605780US

Date of Deposit April 19, 2000

I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above, as is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231


Judith R. Ahrens

JUDITH L. AHRENS

Send Correspondence to: Gary Serbin
Symbol Technologies, Inc.
One Symbol Plaza, A-6
Holtsville, NY 11742-1300

Direct Telephone Calls to: *(name and telephone number)*
Gary Serbin 631-738-4496

Full name of sole or first inventor Adam Petrovich	
Sole or first inventor's signature	Date
Residence Pittsburgh, PA	
Citizenship USA	
Post Office Address 415 Kittanning Pike, Pittsburgh, PA 15215	

Full name of second inventor, if any Jerome Swartz	
Second inventor's signature 	Date 3/30/2000
Residence Old Field, NY	
Citizenship USA	
Post Office Address 199 Old Field Rd., Old Field, NY 11733	

Full name of third inventor, if any James Paul	
Third inventor's signature	Date
Residence Allendale, NJ	
Citizenship USA	
Post Office Address 92 Canaan Place, Allendale, NJ 07401	

Full name of fourth inventor, if any Ian Jenkins	
Fourth inventor's signature	Date
Residence Stony Brook, NY	
Citizenship USA	
Post Office Address 14 Blinker Light Rd., Stony Brook, NY 11790	

Full name of fifth inventor, if any	
Fifth inventor's signature	Date
Residence	
Citizenship	
Post Office Address	

Full name of sixth inventor, if any	
Sixth inventor's signature	Date
Residence	
Citizenship	
Post Office Address	

Docket No.

856

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

PORTABLE TENDERING AND CUSTOMER SERVICE STATIONS AND RELATED SYSTEMS AND METHODS

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on _____ as United States Application No. or PCT International Application Number _____ and was amended on _____

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(list name and registration number)*

Gary Serbin, Reg. No. 43,912

Mauro Premutico, Reg. No. 33,994

Daniel R. McGlynn, Reg. No. 26,570

EXPRESS MAIL Mailing Label Number GB85960578005

Date of Deposit April 19, 2000
I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above, as is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231

Judith L. Ahrens
JUDITH L. AHRENS

Send Correspondence to: Gary Serbin
Symbol Technologies, Inc.
One Symbol Plaza, A-6
Holtsville, NY 11742-1300

Direct Telephone Calls to: *(name and telephone number)*
Gary Serbin 631-738-4496

Full name of sole or first inventor Adam Petrovich	
Sole or first inventor's signature	Date
Residence Pittsburgh, PA	
Citizenship USA	
Post Office Address 415 Kittanning Pike, Pittsburgh, PA 15215	

Full name of second inventor, if any Jerome Swartz	
Second inventor's signature	Date
Residence Old Field, NY	
Citizenship USA	
Post Office Address 199 Old Field Rd., Old Field, NY 11733	

Full name of third inventor, if any James Paul	
Third inventor's signature	Date
Residence Allendale, NJ	
Citizenship USA	
Post Office Address 92 Canaan Place, Allendale, NJ 07401	

Full name of fourth inventor, if any Ian Jenkins	
Fourth inventor's signature <i>Ian Jenkins</i>	Date 3.30.00
Residence Stony Brook, NY	
Citizenship USA	
Post Office Address 14 Blinker Light Rd., Stony Brook, NY 11790	

Full name of fifth inventor, if any	
Fifth inventor's signature	Date
Residence	
Citizenship	
Post Office Address	

Full name of sixth inventor, if any	
Sixth inventor's signature	Date
Residence	
Citizenship	
Post Office Address	

Docket No.

856

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled
PORTABLE TENDERING AND CUSTOMER SERVICE STATIONS AND RELATED SYSTEMS AND METHODS

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on _____ as United States Application No. or PCT International
Application Number _____
and was amended on _____

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(list name and registration number)*

Gary Serbin, Reg. No. 43,912

Mauro Premutico, Reg. No. 33,994

Daniel R. McGlynn, Reg. No. 26,570

EXPRESS MAIL Mailing Label Number GB859605780US


Date of Deposit April 19, 2000

I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above, as is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231

Judith L. Ahrens
JUDITH L. AHRENS

Send Correspondence to: Gary Serbin
Symbol Technologies, Inc.
One Symbol Plaza, A-6
Holtsville, NY 11742-1300

Direct Telephone Calls to: *(name and telephone number)*
Gary Serbin 631-738-4496

Full name of sole or first inventor Adam Petrovich	
Sole or first inventor's signature 	Date 3/23/00
Residence Pittsburgh, PA	
Citizenship USA	
Post Office Address 415 Kittanning Pike, Pittsburgh, PA 15215	

Full name of second inventor, if any Jerome Swartz	
Second inventor's signature	Date
Residence Old Field, NY	
Citizenship USA	
Post Office Address 199 Old Field Rd., Old Field, NY 11733	

Full name of third inventor, if any James Paul	<i>James Paul</i>	<i>4/18/00</i> Date
Third inventor's signature		
Residence Allendale, NJ		
Citizenship USA		
Post Office Address 92 Canaan Place, Allendale, NJ 07401		

Full name of fourth inventor, if any Ian Jenkins		
Fourth inventor's signature		Date
Residence Stony Brook, NY		
Citizenship USA		
Post Office Address 14 Blinker Light Rd., Stony Brook, NY 11790		

Full name of fifth inventor, if any		
Fifth inventor's signature		Date
Residence		
Citizenship		
Post Office Address		

Full name of sixth inventor, if any		
Sixth inventor's signature		Date
Residence		
Citizenship		
Post Office Address		